




PARAGON PRISM SCOPES






 **SCPS-M01**
1x prism scope

 **SCPS-M03**
3x prism scope

 **SCPS-M04**
4x prism scope

INFORMATION

 www.facebook.com/vectoropticsofficial
www.facebook.com/groups/vectoropticscope  www.youtube.com/@VectorOptics  <https://www.vectoroptics.com/>




The Lightest Weight



Fully Multi-Coated



Edge-to-Edge



Long Eye Relief



Wide Field of View

PRISM SCOPES

TACTILE & REPEATABLE TURRET


Ergonomically Designed With More Tactile and Audible Click Adjustments.
1MOA Adjustment 40MOA Regulate Range.

FIXED MAGNIFICATION

The Fixed Magnification Scope is More Suitable for Shooting and Hunting Activities at Medium to Low Ranges.

IMAGE QUALITY & FOV

Very Little Distortion, Extra-Low Dispersion, Excellent for Dawn, Dusk Even at Night Shooting.
Paragon Prism Scopes Has a larger FOV and Longer Eye Relief Compared to Typical Prisms on the Market.



LIFETIME WARRANTY

Quality Through Precision.

HIGH MOUNT & LOW MOUNT

Paragon Prism Scopes Base Height Increase Can Fit Your Eyes More Closely, Allowing for More Precise Aiming at the Target. In Addition, the Base Height Increase Can Also Help You Adapt to Different Types of Firearms, Bullets, and Shooting Distances, Improving Accuracy and Precision In Shooting.



ILLUMINATION

10 Levels Illumination Very Bright & Dim (Fit Night Vision).

FULLY MULTI COATED


Prism Cope is a High-Definition Optical Device That Integrates a Fixed-Magnification Optical System, Providing Clear Images at Any Magnification And Offering a Comfortable Observation Experience for the Eyes.
Crystal, Classic, Competitive.



VEPRO® FMC

MAG FOOTPRINT RED DOT SIGHT

Frenzy-S Series



PRISM SCOPES

TACTILE & REPEATABLE TURRET

Ergonomically Designed With More Tactile and Audible Click Adjustments.
1MOA Adjustment 40MOA Regulate Range.

FIXED MAGNIFICATION

The Fixed Magnification Scope is More Suitable for Shooting and Hunting Activities at Medium to Low Ranges.

IMAGE QUALITY & FOV

Very Little Distortion, Extra-Low Dispersion, Excellent for Dawn, Dusk Even at Night Shooting.
Paragon Prism Scopes Has a larger FOV and Longer Eye Relief Compared to Typical Prisms on the Market.



ILLUMINATION

10 Levels Illumination Very Bright & Dim (Fit Night Vision).

FULLY MULTI COATED

Prism Cope is a High-Definition Optical Device That Integrates a Fixed-Magnification Optical System, Providing Clear Images at Any Magnification And Offering a Comfortable Observation Experience for the Eyes.
Crystal, Classic, Competitive.




VEPRO® FMC



RUM-PG PRISM SCOPE FOOTPRINT

ADAPTED MOUNT:

SCPSM-01	MAV-QD10	MAV-P05
MAV-P10	MAV-P15	MAV-P15
MAV-P08	MAV-DL	



LIFETIME WARRANTY

Quality Through Precision.

HIGH MOUNT & LOW MOUNT

Paragon Prism Scopes Base Height Increase Can Fit Your Eyes More Closely, Allowing for More Precise Aiming at the Target. In Addition, the Base Height Increase Can Also Help You Adapt to Different Types of Firearms, Bullets, and Shooting Distances, Improving Accuracy and Precision In Shooting.

PRISM SCOPES



SCPS-M01



SCPS-M03



SCPS-M04


Magnification	1x	3x	4x
Objective Lens Dia	16 mm	18 mm	24 mm
Exit Pupil (mm)	15	6	65
F.O.V (@100 yards)	76.3 feet	38.8 feet	28.8 feet
Eye Relief (mm / inch)	76 / 3.0	67.5 / 2.65	67.5 / 2.65
Optics Coating	FMC	FMC	FMC
Reticle	VEP-CDR	VEPS-MBR	VEPS-MBR
Weight (net, g / oz)	225 / 7.9	225 / 7.9	250 / 3.2
Length (mm / inch)	75 / 3.0	75 / 3.0	81 / 3.2
Click Value	1MOA	1MOA	1MOA
Elevation Range	>40MOA	>40MOA	>40MOA
Windage Range	>40MOA	>40MOA	>40MOA
Parallax Setting	100yds	100yds	100yds
Finish	Black matte	Black matte	Black matte
Illumination	10 Gear Red	10 Gear Red	10 Gear Red
Waterproof	IP67	IP67	IP67
Shock Proof	750g	750g	750g
Housing Material	6061 T6	6061 T6	6061 T6




New products are coming soon

PRISM SCOPES

RETICLE PATTERN



VEP-CDR (MOA)



VEPS-MBR (MOA)

EXTRA PURCHASE

Profile Cantilever Picatinny Riser Mount



MAV-P15 & SCPSM-01



MAV-QD10



MAV-P05



MAV-P08



MAV-P10



MAV-P15

Low Profile Dovetail Mount



MAV-DL

PARAGON 1" HUNTING



INFORMATION

 www.facebook.com/vectoropticsofficial
www.facebook.com/groups/vectoropticscope

 www.youtube.com/@VectorOptics

 <https://www.vectoroptics.com/>



1" HUNTING

TACTILE REGULATE

Audible Mechanical Clicks, Reset to Zero & Turret Cap Adjustment System Made of 7075 T6 That Never Snags on Anything and Never Get Turned.

TURRET FUNCTION



WATER



DUST & SAND



ACCIDENTAL ADJUSTMENTS

Against Water, Dust & Sand and Unintentional Damage

ILLUMINATION

6 Levels Illumination Only Center Dot Illumination. There is an off Gear Between Each Level Illumination for You to Quickly Turn off the Illumination.

PARALLAX SETTING

Side Focus Parallax Min Starts from 10 Yards to Infinite

TUBE SIZE & SHOCK PROOF

25.4mm Monotube Made of 6061 T6, 750G Shock Proof Can Hold Recoil Of .338 Ammo.

5x ZOOM

True 5x Zoom Factor, Constant 4" Eye Relief without Inside Dark Ring Around Image Ensuring Clear Visuals Without any Dark Rings Around the Image.



LIFETIME WARRANTY

Quality Through Precision.



IMAGE QUALITY

Very Little Distortion, Extra-Low Dispersion, Excellent for Dawn, Dusk Even at Night Shooting.

All Fields of Application for Hunting, Sporting & Competition.

NO DISTORTION
PARAGON 1" HUNTING



VEPRO® FMC

FULLY MULTI COATED

Paragon, Medium and High-Power Optics provide sharp images at any magnification, thanks to the renowned HD Optics system with a wide-angle view. These Paragon offer a true 5x zoom factor and a constant 4" eye relief, ensuring clear visuals without any dark rings around the image. Paragon With by Using LaREE Lens & VePRO FMC The Lens 90% Light Transmission. Crystal, Classic, Competitive.

1" HUNTING



SCOM-37



SCOL-44

Magnification	3-15x	4-20x
Objective Lens Dia	44mm	50mm
Ocular Lens Dia	38mm	38mm
Tube Dia	25.4mm	25.4mm
Exit Pupil (mm)	10.4-2.9	10.0-2.5
F.O.V (@100 yards)	37.2-7.7 feet	27.9-5.6 feet
Eye Relief (mm / inch)	92 / 3.6	92 / 3.6
Optics Coating	FMC	FMC
Reticle	German #4	German #4
Weight (net, g / oz)	635 /22.4	690 / 24.3
Length (mm / inch)	335 / 13.2	343/ 13.5
Click Value	1/4MOA	1/4MOA
Elevation Range	60MOA	60MOA
Windage Range	60MOA	60MOA
Parallax Setting	10yds to ∞	10yds to ∞
Finish	Black matte	Black matte
Illumination	6 Gear Red	6 Gear Red
Waterproof	IP67	IP67
Shock Proof	850g	750g
Housing Material	6061 T6	6061 T6
Zero Stop	×	×

Turret Lock



Relations




Zoom Wrench

New products are coming soon

1" HUNTING

RETICLE PATTERN



German #4

PARAGON 1" TACTICAL



INFORMATION

 www.facebook.com/vectoropticsofficial
www.facebook.com/groups/vectoropticscope


 www.youtube.com/@VectorOptics

 <https://www.vectoroptics.com/>



1" TACTICAL

ZERO STOP FUNCTION



ILLUMINATION

6 Levels Illumination Only Center Dot Illumination. There is an off Gear Between Each Level Illumination for You to Quickly Turn off the Illumination.

PARALLAX SETTING

Side Focus Parallax Min Starts from 10 Yards to Infinite

TUBE SIZE & SHOCK PROOF

25.4mm Monotube Made of 6061 T6, 750G Shock Proof Can Hold Recoil Of .338 Ammo.

5x ZOOM

True 5x Zoom Factor, Constant 4" Eye Relief Without Inside Dark Ring Around Image Ensuring Clear Visuals Without any Dark Rings Around the Image.



LIFETIME WARRANTY

Quality Through Precision.



IMAGE QUALITY

Very Little Distortion, Extra-Low Dispersion, Excellent for Dawn, Dusk Even at Night Shooting.

All Fields of Application for Hunting, Sporting & Competition.

NO DISTORTION
PARAGON 1" TACTICAL



VEPRO® FMC

FULLY MULTI COATED

Paragon, Medium And High-Power Optics Provide Sharp Images at any Magnification, Thanks to the Renowned HD Optics System With a Wide-Angle View.

Paragon With by Using LaREE Lens & VePRO FMC The Lens 92% Light Transmission.

1" TACTICAL



SCOM-T37

SCOL-T44

Magnification	3-15x	4-20x
Objective Lens Dia	44mm	50mm
Ocular Lens Dia	38mm	38mm
Tube Dia	25.4mm	25.4mm
Exit Pupil (mm)	10.4-2.9	10.0-2.5
F.O.V (@100 yards)	37.2-7.7 feet	27.9-5.6 feet
Eye Relief (mm / inch)	92 / 3.6	92 / 3.6
Optics Coating	FMC	FMC
Reticle	VEPG-TMIL	VEPG-TMIL
Weight (net, g / oz)	715 / 25.2	765 / 27.0
Length (mm / inch)	335 / 13.2	343/ 13.5
Click Value	1/10MIL	1/10MIL
Elevation Range	17.5MIL	17.5MIL
Windage Range	17.5MIL	17.5MIL
Parallax Setting	10yds to ∞	10yds to ∞
Finish	Black matte	Black matte
Illumination	6 Gear Red	6 Gear Red
Waterproof	IP67	IP67
Shock Proof	850g	750g
Housing Material	6061 T6	6061 T6
Zero Stop	√ (Elevation)	√ (Elevation)

Turret Lock √ (Windage) √ (Windage)

Relations




Zoom Wrench

New products are coming soon

1" TACTICAL


RETICLE PATTERN





VEPG-TMIL

PARAGON 30MM TUBE

INFORMATION

 www.facebook.com/vectoropticsofficial
www.facebook.com/groups/vectoropticscope

 www.youtube.com/@VectorOptics

 <https://www.vectoroptics.com/>



30MM TUBE

TACTILE REGULATE

Audible Mechanical Clicks, Reset to Zero & Turret Lock
Adjustment System Made of 7075 T6 That Never Snags on Anything and Never Get Turned.

5x ZOOM

True 5x Zoom Factor, Constant 4" Eye Relief without Inside Dark Ring Around Image Ensuring Clear Visuals Without any Dark Rings Around the Image.

ILLUMINATION

6 Levels Illumination Only Center Dot Illumination. There is an off Gear Between Each Level Illumination for You to Quickly Turn off the Illumination.

PARALLAX SETTING

Side Focus Parallax Min Starts from 10&15 Yards to Infinite

TUBE SIZE & SHOCK PROOF

30mm Monotube Made of 6061 T6, 750G Shock Proof Can Hold Recoil Of .338 Ammo.



LIFETIME WARRANTY

Quality Through Precision.



IMAGE QUALITY

Very Little Distortion, Extra-Low Dispersion, Excellent for Dawn, Dusk Even at Night Shooting.

All Fields of Application for Hunting, Sporting & Competition.



VEPRO® FMC

FULLY MULTI COATED

Paragon, Medium And High-Power Optics Provide Sharp Images at any Magnification, Thanks to the Renowned HD Optics System With a Wide-Angle View.

Paragon With by Using LaREE Lens & VePRO FMC The Lens 92% Light Transmission.

Crystal, Classic, Competitive.

NO DISTORTION
PARAGON 30MM TUBE

BOMM TUBE



SCOM-25



SCOL-26



SCOL-27

Magnification	3-15x	5-25x	6-30x
Objective Lens Dia	50mm	56mm	56mm
Ocular Lens Dia	39mm	39mm	39mm
Tube Dia	30mm	30mm	30mm
Exit Pupil (mm)	8.0-3.3	8.0-3.3	9.1-1.5
F.O.V (@100 yards)	37.5-7.5 feet	22.5-4.5 feet	18.8-38 feet
Eye Relief (mm / inch)	100 / 4.0	100 / 4.0	100 / 4.0
Optics Coating	FMC	FMC	FMC
Reticle	VPA-2	VPA-2	VPA-2
Weight (net, g / oz)	625 / 22.0	670 / 23.6	670 / 23.6
Length (mm / inch)	335 / 13.2	365 / 14.4	365 / 14.4
Click Value	1/10MIL	1/10MIL	1/10MIL
Elevation Range	26MIL	18.5MIL	17.5MIL
Windage Range	26MIL	18.5MIL	17.5MIL
Parallax Setting	10yds to ∞	15yds to ∞	15yds to ∞
Finish	Black matte	Black matte	Black matte
Illumination	6 Gear Red	6 Gear Red	6 Gear Red
Waterproof	IPX6	IPX6	IPX6
Shock Proof	750g	750g	750g
Housing Material	6061 T6	6061 T6	6061 T6
Zero Stop	×	×	×

Turret Lock

√

√

√

Relations




Zoom Wrench



BOMM TUBE

RETICLE PATTERN



VPA-2